

1. Product Name: PROSEAL

2. Physical and Chemicals Properties

Appearance : Milky White Opaque Liquid

Odour : Acrylic

Specific Gravity :1.020 - 1.030 @ 28 °C

pH (100%) : 8.5 - 9.0 % Solids : 16.5-18.5

Shelf Life : One year in original, unopened containers

3. Composition CAS#
DEG Methyl Ether 111-77-3

4. Occupational Exposure Limits (Hazardous Ingredients)

Material	TLV		Threshold Limit Value	
				CL
	ppm	mg.m3	ppm	mg.m3
DEG Methyl Ether		NE		NE

5. Health Hazard

Area	Effects of Over Exposure	First Aid Procedure	
Skin	Irritant, continuous skin contact may cause dermatitis	Avoid prolonged contact, wash with large amounts of water. If irritation persists, see physician.	
Eyes	Irritant	Flush with large amounts of water, lifting upper and lower lids until all material is removed. If irritation persists seek immediate medical attention	
Inhalation	Excess inhalation may cause irritation of the respiratory tract.	If vapors are bothersome, remove individual to fresh air.	
Ingestion	Irritation of lips, mouth and throat, gastro-intestinal irritation or nausea and vomiting may follow.	Consult physician	

Revision #05 | Dated: January 2023



6. Fire Hazard

This Product is classified as : Non-Flammable Floor Finish / Sealant

Flash Point (oC) : N/A

Extinguishing Media : Chemical Foam, Carbon Dioxide, Water Spray

Conditions to Avoid : Avoid contact with acids

Decomposition Products : Carbon Dioxide

Special Fire Fighting Procedures : None are expected to be required. If this material is involved in a fire,

NIOSH approved self contained respiratory

protection should be worn.

Material can splatter above 100 degrees

Celsius. This is a water emulsion and no fire or

explosive hazards are expected.

7. Handling & Storage

Precautionary Measures : Avoid splashes into eyes. Store in a cool, dry

place-DO NOT store containers in direct sunlight. Avoid excessive heat and contact with acids.

Ventilation : Adequate to keep exposure limits below those

those listed in section 3

Personal Protection

Respirator : None required if adequate ventilation is provided.

: Wear impervious rubber gloves and protective

clothing

Eyes : Wear chemical splash goggles

8. Transport

Skin

Packing group : N/A

9. Spillage / Disposal method

Spill : Confine as much as possible. Dike and absorb with

inert material such as vermiculite. Transfer to

containers for disposal.

Disposal : Dispose of in accordance with state and federal

regulations.

10. DISCLAIMER

TO THE BEST OF OUR KNOWLEDGE, THE INFORMATION CONTAINED HEREIN IS ACCURATE. NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE OF THIS INFORMATION. SELLER ASSUMES NO RESPONSIBILITY FOR INJURY TO BUYER OR THIRD PERSONS CAUSED BY THE MATERIAL IF PROPER SAFETY PROCEDURES ARE NOT ADHERED TO OR IF ABNORMAL USE IS MADE OF THE MATERIAL. IN NO EVENT WILL SELLER BE LIABLE FOR ACCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OF THIS MATERIAL.

SCL products are guaranteed against defective materials and manufacture and are sold subject to its standard Terms & Conditions of Sale,copies of which may be obtained on request. Whilst SCL endeavors to ensure that any advice ,recommendations,specification or information it may give is accurate and correct,it cannot because it has no direct or continuous control over where or how its products are applied,accept any liability either directly or indirectly arising from the use of its products,whether or not in accordance with any advice,specification,recommendation or information given by it.